BMC Evolutionary Biology



Correction Open Access

Phylogeny and divergence of the pinnipeds (Carnivora: Mammalia) assessed using a multigene dataset

Jeff W Higdon¹, Olaf RP Bininda-Emonds*², Robin MD Beck³ and Steven H Ferguson⁴

Address: ¹Department of Geography, University of Manitoba, 501 University Crescent, Winnipeg, Manitoba, R3T 2N6, Canada, ²AG Systematik und Evolutionsbiologie, IBU – Fakultät V, Carl von Ossietzky Universität Oldenburg, 26111 Oldenburg, Germany, ³School of Biological, Earth and Environmental Sciences, University of New South Wales, Sydney NSW 2052, Australia and ⁴Fisheries and Oceans Canada, 501 University Crescent, Winnipeg, Manitoba, R3T 2N6, Canada

 $Email: Jeff\ W\ Higdon\ -\ higdonj\ @dfo-mpo.gc.ca;\ Olaf\ RP\ Bininda-Emonds\ ^*\ -\ olaf.bininda\ @uni-oldenburg.de;\ Robin\ MD\ Beck\ -\ robin.beck\ @student.unsw.edu.au;\ Steven\ H\ Ferguson\ -\ fergusonsh\ @dfo-mpo.gc.ca$

Published: 24 July 2008

a. 21 july 2000

BMC Evolutionary Biology 2008, 8:216 doi:10.1186/1471-2148-8-216

DIVIC EVOLUTIONALLY BIOLOGY 2000, 6.210 GOI.10.1100/1471-2140-0-210

© 2008 Higdon et al; licensee BioMed Central Ltd.

This article is available from: http://www.biomedcentral.com/1471-2148/8/216

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

After publication of our article [1], we discovered that one of the programs used to date the supertree, relDate v2.2 [2], contained a bug that can lead to errors in the date estimates it provides. The precise effect of the bug is dependent on tree shape, but it generally results in overestimates of divergence-time estimates, particularly for nodes that are closer topologically to the tips of the tree. It can potentially, however, affect every date estimate on a tree.

Fortunately, the impact of the bug on date estimates in the pinniped supertree was minimal. Only 14 of the 35 nodes were affected, with the mean and median absolute errors for the dates of these 14 nodes being 0.19 and 0.10 million years (= 8.9% and 6.1% relative to the corrected date). All but one error (that for node 14) were overestimates. The largest difference was 0.5 million years (for node 6), and the two sets of dates are perfectly correlated with one another (correlation coefficient = 1.000, Z = 28.508, P < 0.0001).

Corrected dates and 95% confidence-interval dates for all nodes in the pinniped supertree can be found in Table 1 and should be used in place of those reported in the original publication [1]. We apologize for any inconvenience this error might cause.

References

Received: 27 June 2008 Accepted: 24 July 2008

- Higdon JW, Bininda-Emonds ORP, Beck RM, Ferguson SH: Phylogeny and divergence of the pinnipeds (Carnivora: Mammalia) assessed using a multigene dataset. BMC Evol Biol 2007, 7:216.
- Bininda-Emonds ORP, Cardillo M, Jones KE, MacPhee RDE, Beck RMD, Grenyer R, Price SA, Vos RA, Gittleman JL, Purvis A: The delayed rise of present-day mammals. Nature 2007, 446:507-512.

^{*} Corresponding author

Table 1: Published and corrected divergence dates for the world's pinnipeds as determined by the relDate method.

nce-interval dates	Confider	Corrected date (SE)	Published date	Node
Upper	Lower			
43.4	43.4	43.4	43.4	I
40.9	30.6	35.7	35.7	2
25.7	20.3	23.0	23.0	3
20.7	15.3	18.0	18.0	4
12.3	6.0	8.2	8.2	5
6.5	4.8	5.6	6.1	6
6.3	4.0	5.2	5.2	7
5.4	3.9	4.4	4.5	8
5.2	3.7	4.2	4.3	9
5.1	2.7	3.3	3.4	10
5.0	2.4	3.1	3.2	11
4.9	0.6	3.0	3.1	12
1.6	0.5	1.1	1.1	13
0.8	0.3	0.8	0.7	14
0.1	0.2	0.1	0.1	15
0.3	0.3	0.3	0.3	16
5.3	3.5	4.5	4.5	17
17.8	14.2	16.0	16.0	18
14.7	11.2	13.0	13.0	19
8.7	7.1	7.9	8.0	20
7.1	5.6	6.4	6.4	21
2.9	1.6	2.1	2.4	22
2.7	1.4	1.9	2.2	23
2.3	1.2	1.8	2.1	24
2.0	1.1	1.7	2.0	25
1.3	0.6	0.9	1.1	26
5.3	3.3	4.3	4.3	27
12.5	10.1	11.3	11.3	28
11.2	8.7	9.9	10.0	29
7.7	6.4	7.1	7.1	30
7.3	6.3	6.8	6.8	31
5.4	3.2	4.3	4.3	32
4.0	0.6	2.3	2.3	33
10.5	9.4	9.9	9.9	34
5.3	4.4	4.9	4.9	35

Node numbers correspond to Figure 1 in Higdon et al. [1]; those where the dates have changed are listed in bold face. All dates (including 95% confidence-interval dates) are in millions of years ago.

Publish with **Bio Med Central** and every scientist can read your work free of charge

"BioMed Central will be the most significant development for disseminating the results of biomedical research in our lifetime."

Sir Paul Nurse, Cancer Research UK

Your research papers will be:

- available free of charge to the entire biomedical community
- peer reviewed and published immediately upon acceptance
- cited in PubMed and archived on PubMed Central
- \bullet yours you keep the copyright

Submit your manuscript here: http://www.biomedcentral.com/info/publishing_adv.asp

