

CORRECTION

Open Access



Correction to: Distinguishing between determinate and indeterminate growth in a long-lived mammal

Hannah S. Mumby^{1*}, Simon N. Chapman^{1†}, Jennie A. H. Crawley¹, Khyne U. Mar¹, Win Htut², Aung Thura Soe², Htoo Htoo Aung² and Virpi Lummaa¹

Correction to: *BMC Evol Biol* (2015) 15:1

<https://doi.org/10.1186/s12862-015-0487-x>

Following the publication of the original article [1], we were notified of the following corrections: in both Tables 1 and 2 (height and weight), the values for K should be the exponent of the values in the t_0 column, and the values in t_0 should be the log of the values in K . This does not affect the curves, as the authors used a predict function.

Correct Tables 1 and 2 can be found in this erratum:

Table 1 Parameters for height growth curves

Curve	n	H_∞ (cm)	K	t_0
Averaged female, captive only	170	220	0.145	-3.91
Averaged female, wild and captive	240	222	0.141	-4.02
Longitudinal female, captive and historic	22	218	0.151	-4.08
Averaged male, captive only	159	243	0.111	-5.12
Averaged male, wild and captive	189	244	0.108	-5.30
Longitudinal male, captive and historic	26	240	0.114	-5.81

Table 2 Parameters for weight growth curves

Curve	n	W_∞ (kg)	K	t_0
Averaged female, captive only	172	2599	0.081	-0.99
Averaged female, wild and captive	243	2548	0.085	-0.92
Longitudinal female, captive and historic	25	2498	0.091	-0.71
Averaged male, captive only	159	3412	0.058	-1.61
Averaged male, wild and captive	188	3407	0.058	-1.66
Longitudinal male, captive and historic	20	3238	0.071	-0.82

The original article can be found online at <https://doi.org/10.1186/s12862-015-0487-x>.

*Correspondence: hs.mumby@gmail.com

†Hannah S. Mumby and Simon N. Chapman contributed equally to this work

¹ Department of Animal and Plant Sciences, University of Sheffield, Western Bank, Sheffield S10 2TN, UK

Full list of author information is available at the end of the article



© The Author(s) 2021. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Author details

¹Department of Animal and Plant Sciences, University of Sheffield, Western Bank, Sheffield S10 2TN, UK. ²Ministry of Environmental Conservation and Forestry, Myanmar Timber Enterprise, Yangon, Myanmar.

Published online: 06 December 2021

Reference

1. Mumby HS, Chapman SN, Crawley JA, Mar KU, Htut W, Soe AT, Aung HH, Lummaa V. Distinguishing between determinate and indeterminate

growth in a long-lived mammal. *BMC Evol Biol.* 2015;15:214. <https://doi.org/10.1186/s12862-015-0487-x>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.